

FIG. 1






FIG. 2



# REPLACEMENT SHEET

3/19


## FIG. 3



# REPLACEMENT SHEET

4/19


## FIG. 4



# REPLACEMENT SHEET

5/19

## FIG. 5



6/19

FIG. 6






FIG. 7



# REPLACEMENT SHEET

8/19

## FIG. 8





# REPLACEMENT SHEET

9/19

FIG. 9

PRINT

?

×

PRINTER

PRINTER NAME (N):

STATUS:

TYPE:

WHERE:

COMMENT:

PRINTER 1

PRINTER 1 ~ 1003

PRINTER 2

PRINTER 3

PRINTER 4

PRINTER 5

PRINTER 1001

COLOR (GROUP PRINTER A)

COLOR/MONochrome DISTRIBUTION (GROUP PRINTER B)

MONochrome (GROUP PRINTER C)

PAGE RANGE

☒ ALL (A):
 ☐ CURRENT PAGE (E):
 ☐ PAGES (G):

ENTER PAGE NUMBERS AND/OR PAGE RANGES  
 SEPARATED BY COMMAS. FOR EXAMPLE, 1,3,6,4-8

1004

PROPERTIES (P)

☐ PRINT TO FILE (L)

1002

☒ COLLATE (I)

PRINT WHAT (W):

DOCUMENT

ALL PAGES

PRINT (R):

ONE PAGE

NONE

OPTIONS (O)

OK

CANCEL

ENLARGEMENT/REDUCTION


NUMBER OF PAGES PER SHEET (H):

PAPER SIZE (Z):

REPLACEMENT SHEET

10/19


FIG. 10



# REPLACEMENT SHEET

11/19

## FIG. 11



REPLACEMENT SHEET

12/19

FIG. 12A

MEMBER PRINTER ARRANGEMENT	SETTABLE ITEMS
ALL MEMBER PRINTERS ARE FUNCTION-UNCONTROLLABLE PRINTERS	COMMON SETTING ITEMS
EVEN ONE FUNCTION-CONTROLLABLE MEMBER PRINTER EXISTS	COMMON SETTING ITEMS + ENHANCED SETTING ITEMS

# REPLACEMENT SHEET

13/19


## FIG. 12B

	SETTING ITEMS
COMMON SETTING ITEMS	LOGICAL PAPER SIZE OUTPUT PAPER SIZE USER-DEFINED PAPER PRINTING ORIENTATION MARGIN SCALING NUMBER OF COPIES EACH COPY (GROUP, COLLATE) SORTING (NON COLLATE) PAGE LAYOUT LAYOUT ORDER DOUBLE-SIDED/SINGLE-SIDED RESOLUTION GRAYSCALE
ENHANCED SETTING ITEMS	ROTATION WATERMARK PAGE OPTION BINDING DIRECTION BINDING MARGIN STAPLING STAPLING POSITION SADDLE STITCH (BOOKBINDING PRINTING) MAXIMUM NUMBER OF SHEETS SUBJECTED TO SADDLE STITCH BOOKBINDING PRINTING METHOD OPENING DIRECTION BOOKBINDING MARGIN LOWER LIMIT VALUE OF BOOKBINDING MARGIN PUNCHING Z-FOLDING FOUR-PLANE POSTCARD MIXED PAPER LOADING INSERTER PAPER FEED METHOD PAPER FEED FIELD

# REPLACEMENT SHEET

14/19

## FIG. 13



# REPLACEMENT SHEET

15/19

## FIG. 14





FIG. 15





# REPLACEMENT SHEET

17/19

FIG. 16

160

GENERAL DETAILS SHARING PAGE SETUP FINISHING QUALITY OUTPUT METHOD

FAVORITE(E): COLOR DISPLAY

PRINTING METHOD(Y): ☒ SINGLE-SIDED PRINTING ☐ DOUBLE-SIDED PRINTING ☐ BOOKBINDING PRINTING

DETAILS OF BOOKBINDING(S)

BINDING DIRECTION(B): ☐ LONG-SIDE BINDING (LEFT) ☐ BINDING MARGIN(U)

A4 (SCALING: AUTO)

VIEW SETTINGS(V) COLLATE(E):

PROCESSING OPTIONS(C) RESTORE DEFAULTS(R)


OK CANCEL APPLY(A) HELP

161 162 163

# REPLACEMENT SHEET

18/19

FIG. 17



## 19/19

F I G. 18

FIG. 12

12a

12b

12c

12d

12e

12f

FIG. 12 is a screenshot of a printer management software interface. The interface is divided into several sections. At the top, there are tabs for "PAGE SETUP", "FINISHING", "PAPER FEED", "PRINTING QUALITY", and "OUTPUT SETUP". Below these, there are sections for "FAVORITE(F):", "OUTPUT METHOD(O):", and "OUTPUT DESTINATION(D):". The "OUTPUT METHOD(O):" section shows "REDIRECT PRINTING" selected. The "OUTPUT DESTINATION(D):" section contains a table with columns for "PRINTER NAME", "STATUS", "PRIORITY", and "PRINTER FUNCTION". The table lists five printers: PRINTER1, PRINTER2, PRINTER3, PRINTER4, and PRINTER5. Each printer has a checked box in the "STATUS" column and a specific priority and function. Below the table, there are checkboxes for "GIVE PRIORITY TO MATCHING BETWEEN PRINT JOB AND PRINTER FUNCTION(C):", "VIEW SETTINGS(V)", "ADD/DELETE PRINTER(D)...", "DISPLAY LATEST STATE(E)...", "USE DEPARTMENT MANAGING FUNCTION(U):", and "UPDATE OUTPUT SETUP(U)...". At the bottom, there are buttons for "OK", "CANCEL", and "HELP".